

## SUPERIOR DESIGN THAT MATTERS

Tel: +49 341 / 870 998 10

**Email:** info@benedict-and-riva.com **Web:** www.benedict-and-riva.com

## **DOORS**

## RIVA ADS 65.NI SP

Multi-functional, self-closing smoke doors with a broad application area. Smoke doors are manufactured in accordance with the standard DIN 18095, and as self-closing doors, in installed and closed status are designed to prevent the passage of smoke.

RIVA ADS 65.NI SP smoke doors are characterized by the fact that these systems are tested not only according to the German standard, but also according to the European standards for smoke control and fire protection.

This is a valuable advantage for a variety of project requirements. The smoke doors from BENEDICT + RIVA can be combined with system components for access control and meet the most rigorous break-in resistance and sound reduction requirements. In addition, they have an anti-panic function. With heights up to 3100 mm and unlimited length, the smoke doors allow great architectural freedom.



## **Product information:**

- Suitable for use as smoke door and smoke wall
- Multi-functionality of the smoke door with break-in resistance, sound reduction, anti-panic function
- Use of system components for access control

DESIGN SPECIFICATIONS		SUSTAINABILITY
Face width	min. 137 mm	
Window fittings concealed	yes	
Element width max.	3220 mm	
Element height max.	3180 mm	

TECHNICAL SPECIFICATIONS		FUNCTIONS	
National technical approval	upon request	Break-in resistance	up to RC 2
Verification of permanent functionality	DIN 18095, DIN EN 1191	Opening direction	side-hung, inward and outward, clamping protection, single and
Weight max.	120 kg		double-vent
Glass/panel thickness min max.	39 mm	Smoke protection	RS1, RS2
		Max. sound insulation RwP	44 dB(A)



We are experts in designing, manufacturing and installing complex facades.

