

WINDOWS

RIVA AWS 75 WF.SI+

With its thermal insulation, the RIVA AWS 75 WF.SI+ (Window Facade Super Insulated) block window is on the passive house level. With narrow face widths, particularly harmonious glazing sight lines without visible window casements can be realized using the RIVA AWS 75 WF.SI+ (Window Facade Super Insulated) block windows. The block windows from BENEDICT + RIVA are suitable for the rigorous requirements in upscale apartment, commercial, and residential constructions and allow large-dimensioned casements. Energy-efficiency and modern design come together.


Product information:

- Suitable for use in private apartment and home construction, as well as in commercial real estate
- Center seal in co-extrusion
- Narrow, harmoniously coordinated face widths without visible casements

DESIGN SPECIFICATIONS

| | |
|-------------------------------------|-------|
| Face width | 50 mm |
| Face width window frame min. - max. | 50 mm |
| Face width casement frame min. max. | 0 mm |
| Face width mullion min. - max. | 50 mm |

TECHNICAL SPECIFICATIONS

| | |
|---|---------|
| Fall prevention | yes |
| Barrier-free operating force as specified in DIN 1840 | yes |
| Operating forces | class 1 |
| CE mark | yes |

SUSTAINABILITY

| | |
|----------------------------|----------------------------|
| Corrosion protection class | class 5 |
| Uf-value frame ? | 1,3 W/(m ² · K) |
| Wind load resistance | class C5/B5 |
| Certificates | cradle2cradle SILVER |

FUNCTIONS

| | |
|----------------------------|---|
| Break-in resistance | up to RC 2 |
| Opening type to the inside | turn / tilt, side-hung, bottom-hung, toplight, tilt-before-turn |
| Opening angle | 180 ° |
| Security glazing | yes |

