

DOORS

RIVA AD UP 90

Exterior doors that guarantee high lock and key security – DIN tested. The RIVA exterior doors are doors that are unlike conventional house doors due to their robust design and fittings systems that are tested in accordance with DIN 18251. This exterior door is suitable for high-traffic areas and wherever lock and key security should be ensured. It can be integrated in the planned building automation and meets the highest energy-efficiency requirements. It offers a maximum sound reduction standard and in addition a barrier-free combination EPDM and aluminum threshold. For an architectural design that does not neglect a pleasant room climate.


Product information:

- Ideal as a multi-function door for building automation
- Harmonizes effectively with facades and window systems
- Tested overall package as public building door

DESIGN SPECIFICATIONS

Face width	min. 170 mm
Vent variant	all-around, sill-rail profile, adjustable sill, flush-fitted
Filling type	insert panel infill, door infill, leaf enclosing on one side, door infill, leaf-enclosing on two sides
Overall system depth min. - max.	90 mm

TECHNICAL SPECIFICATIONS

CE mark	yes
Verification of permanent functionality	class 7, class 8
Vent weight max.	200 kg
Glass/panel thickness min. - max.	28 - 68 mm

SUSTAINABILITY

Uf-value frame ?	1,3 W/(m ² ·K)
Wind load resistance	class C2/B2
Certificates	cradle2cradle SILVER

FUNCTIONS

Anti-panic function	yes
DIN direction	DIN left / right
DIN direction	yes
Break-in resistance	up to RC 2

